


# THE HEALTH PROFILE OF A 100% FRUIT JUICE DRINKER



**Disclaimer:** Every effort has been made to ensure that the information contained in this document is reliable and has been verified. The information is intended for non-commercial communication to healthcare professionals only. It is not intended for consumers. The AIJN shall have no liability whatsoever if this information is used or presented for promotional or commercial purposes.

## References:

- Fulgoni V & Quann E (2012) National trends in beverage consumption in children from birth to 5 years: analysis of NHANES across three decades. *Nutr J* 11:92; Crowe-White K et al. (2016) Impact of 100% Fruit Juice Consumption on Diet and Weight Status of Children: An Evidence-based Review. *Crit Rev Food Sci Nutr* 56: 871-84.
- EU Register of nutrition and health claims made on foods. [http://ec.europa.eu/food/safety/labelling\\_nutrition/claims/register/public/?event=register.home](http://ec.europa.eu/food/safety/labelling_nutrition/claims/register/public/?event=register.home)
- Atkinson FS et al. (2008) International Tables of Glycemic Index and Glycemic Load Values: 2008. *Diabetes Care* 31: 2281-2283.
- Murphy MM et al. (2017) 100% Fruit juice and measures of glucose control and insulin sensitivity: a systematic review and meta-analysis of randomised controlled trials. *Journal of Nutritional Science* 6 (e59): 1-15. Wang B et al. (2014) Effect of fruit juice on glucose control and insulin sensitivity in adults: a meta-analysis of 12 randomized controlled trials. *PLoS One* 9(4):e95323.
- Yngve A et al. (2005) Fruit and vegetable intake in a sample of 11-year-old children in 9 European countries: The Pro Children Cross-sectional Survey. *Annals of Nutrition and Metabolism* 49: 236-245.
- Gibson S & Ruxton CHS (2016) Fruit juice consumption is associated with intakes of whole fruit and vegetables, as well as non-milk extrinsic sugars: a secondary analysis of the National Diet and Nutrition Survey. [www.cambridge.org/core/journals/proceedings-of-the-nutrition-society/article/fruit-juice-consumption-is-associated-with-intakes-of-whole-fruit-and-vegetables-as-well-as-nonmilk-extrinsic-sugars-a-secondary-analysis-of-the-national-diet-and-nutrition-survey/20B35703A2BAD01894B9A6527C434F21](http://www.cambridge.org/core/journals/proceedings-of-the-nutrition-society/article/fruit-juice-consumption-is-associated-with-intakes-of-whole-fruit-and-vegetables-as-well-as-nonmilk-extrinsic-sugars-a-secondary-analysis-of-the-national-diet-and-nutrition-survey/20B35703A2BAD01894B9A6527C434F21) CREDOC (2010) Comportements et consommation alimentaire en France 2010. Enquête CCAF.
- Gibson S & Boyd, A (2009) Fruit juice consumption in the National Diet and Nutrition Survey (NDNS 2008-2010). *British Journal of Nutrition* 101: 100-107.
- UK Department of Health (2013). Nutrient analysis of fruit and vegetables. Available at: [https://www.gov.uk/government/uploads/system/uploads/attachment\\_data/file/167942/Nutrient\\_analysis\\_of\\_fruit\\_and\\_vegetables\\_-\\_Summary\\_Report.pdf](https://www.gov.uk/government/uploads/system/uploads/attachment_data/file/167942/Nutrient_analysis_of_fruit_and_vegetables_-_Summary_Report.pdf).
- Callewaert.T. et al. (2016) Comparing fruit and vegetable consumption and recommendations in food-based dietary guidelines across Europe. Brussels: AIJN.